

Previous Drilling Composites – Kitsault Mine (Pre-2008)

Hole	from	to	Int width	Mo%	Pb%	Ag g/t
00001	0.0	31.7	31.7	0.121	-1.000	-1.0
including	4.9	17.4	12.6	0.212	-1.000	-1.0
00002	4.6	41.2	36.6	0.048	-1.000	-1.0
00003	0.0	36.0	36.0	0.082	-1.000	-1.0
00004	0.3	36.0	35.7	0.118	-1.000	-1.0
00005	1.5	49.7	48.2	0.130	-1.000	-1.0
00006	0.5	35.1	34.6	0.099	-1.000	-1.0
00007	0.0	35.7	35.7	0.082	-1.000	-1.0
00008	0.0	12.2	12.2	0.168	-1.000	-1.0
00009	0.0	3.1	3.1	0.138	-1.000	-1.0
00010	4.3	30.8	26.5	0.145	-1.000	-1.0
00011	132.9	364.2	231.4	0.115	-1.000	-1.0
including	140.2	162.8	22.6	0.139	-1.000	-1.0
including	187.0	301.8	114.8	0.156	-1.000	-1.0
00012	10.4	221.4	211.1	0.097	-1.000	-1.0
including	10.4	167.2	156.8	0.118	-1.000	-1.0
00013	34.9	226.2	191.3	0.103	-1.000	-1.0
including	93.0	137.8	44.8	0.111	-1.000	-1.0
including	160.6	198.5	37.9	0.173	-1.000	-1.0
00014	5.2	106.7	101.5	0.059	-1.000	-1.0
00015	178.3	232.3	54.0	0.083	-1.000	-1.0
including	215.2	232.3	17.1	0.115	-1.000	-1.0
00016	4.3	118.9	114.6	0.094	-1.000	-1.0
including	6.4	99.2	92.8	0.102	-1.000	-1.0
00017	7.9	129.5	121.6	0.141	-1.000	-1.0
including	7.9	112.8	104.9	0.152	-1.000	-1.0

00018	2.4	259.7	257.3	0.132	0.017	3.2
00019	5.8	296.0	290.2	0.100	0.048	11.9
including	5.8	166.1	160.3	0.128	0.041	10.9
00020	25.0	182.3	157.3	0.109	0.020	3.2
including	96.0	174.7	78.6	0.147	0.019	3.1
00021	11.0	154.2	143.3	0.114	0.003	0.9
including	33.5	154.2	120.7	0.122	0.004	1.0
00022	3.1	214.7	211.7	0.173	-1.000	-1.0
00023	18.6	190.2	171.6	0.137	0.006	1.1
including	35.1	151.5	116.4	0.170	0.007	1.4
00024	3.7	147.8	144.2	0.100	0.013	2.8
including	29.0	120.1	91.1	0.121	0.015	3.0
00025	16.5	278.6	262.1	0.164	0.012	2.9
including	61.6	251.8	190.2	0.191	0.012	3.2
00026	2.4	118.4	116.0	0.118	0.033	6.4
00026	134.0	212.8	78.8	0.118	0.007	2.1
including	134.0	148.9	14.9	0.152	0.006	1.6
including	167.8	210.5	42.7	0.153	0.004	0.8
00027	316.5	349.6	33.1	0.049	-1.000	-1.0
00028	3.1	110.0	107.0	0.114	0.002	0.4
including	18.1	73.6	55.5	0.161	0.001	0.3
00029	2.1	304.8	302.7	0.120	0.021	5.2
including	4.6	202.7	198.1	0.129	0.014	2.8
including	263.7	304.8	41.2	0.133	0.007	1.8
00030	3.1	42.7	39.6	0.047	-1.000	-1.0
00030	52.6	66.3	13.7	0.059	-1.000	-1.0
00030	89.6	103.6	14.0	0.046	-1.000	-1.0
00031	58.1	63.3	5.2	0.130	-1.000	-1.0
00032	6.1	24.8	18.7	0.053	0.012	2.3
00032	36.3	216.4	180.1	0.053	0.014	3.3
00032	240.8	256.0	15.2	0.138	0.004	0.5
00033	6.1	259.7	253.6	0.127	0.014	2.6
including	128.6	235.3	106.7	0.178	0.018	3.2

00033	271.9	281.0	9.1	0.086	0.013	1.7
00033	293.2	328.0	34.7	0.053	0.018	2.4
00034	102.1	108.8	6.7	0.051	0.049	12.7
00034	135.9	305.1	169.2	0.091	0.016	3.6
including	254.8	300.5	45.7	0.129	0.006	1.7
00035	3.7	21.3	17.7	0.057	-1.000	-1.0
00036	3.1	54.9	51.8	0.065	0.017	5.6
00036	67.1	137.2	70.1	0.047	0.026	8.6
00037	5.5	30.5	25.0	0.054	0.012	3.9
00037	82.0	121.6	39.6	0.058	0.098	25.8
00037	136.9	179.5	42.7	0.067	0.013	1.4
00038	5.5	251.8	246.3	0.121	0.033	11.1
including	5.5	169.2	163.7	0.129	0.030	12.4
including	207.3	246.9	39.6	0.146	0.036	8.0
00039	67.1	283.2	216.1	0.098	0.019	4.5
including	91.4	213.4	121.9	0.124	0.014	3.6
00040	98.8	279.8	181.1	0.133	0.016	4.9
including	153.3	270.7	117.4	0.176	0.015	4.9
00041	103.6	271.3	167.6	0.168	-1.000	-1.0
including	143.3	271.3	128.0	0.198	-1.000	-1.0
00042	51.8	234.7	182.9	0.159	0.004	1.0
including	61.0	198.1	137.2	0.163	0.006	1.5
00043	38.1	214.9	176.8	0.112	0.002	0.9
including	83.8	187.5	103.6	0.152	0.003	0.8
00044	54.9	178.9	124.1	0.091	0.006	1.2
including	73.2	143.3	70.1	0.118	0.005	1.1
00045	12.5	134.1	121.6	0.080	0.016	2.1
including	70.1	118.9	48.8	0.117	0.018	2.2
00046	18.3	204.8	186.5	0.094	0.012	4.4
including	82.3	164.4	82.1	0.108	0.036	6.2
including	168.9	202.7	33.8	0.154	0.012	2.3
00047	7.6	368.5	360.9	0.092	0.030	6.5
including	67.4	103.9	36.6	0.108	0.025	6.4
including	119.2	281.3	162.2	0.114	0.005	1.5

00048	12.2	271.7	259.5	0.108	0.023	5.0
including	15.2	67.1	51.8	0.116	0.006	1.5
including	128.0	185.9	57.9	0.115	0.025	4.7
including	201.2	249.9	48.8	0.151	0.028	6.4
00049	11.3	231.7	220.4	0.124	0.010	5.4
including	11.3	179.8	168.6	0.140	0.007	5.5
00049	256.0	271.3	15.2	0.055	-1.000	-1.0
00050	6.7	341.4	334.7	0.105	-1.000	-1.0
including	6.7	61.0	54.3	0.156	-1.000	-1.0
including	97.5	137.2	39.6	0.112	-1.000	-1.0
including	170.7	182.9	12.2	0.131	-1.000	-1.0
including	198.1	283.5	85.3	0.132	-1.000	-1.0
00051	108.2	270.4	162.2	0.111	-1.000	-1.0
including	166.1	255.1	89.0	0.142	-1.000	-1.0
00052	80.8	102.1	21.3	0.042	-1.000	-1.0
00052	114.3	259.1	144.8	0.100	-1.000	-1.0
including	138.7	207.6	68.9	0.113	-1.000	-1.0
00053	81.4	270.4	189.0	0.113	0.058	9.9
including	84.4	191.1	106.7	0.128	0.025	5.2
including	200.3	230.7	30.4	0.125	0.151	13.5
00054	74.7	294.1	219.5	0.077	0.070	13.5
including	102.1	135.6	33.5	0.124	0.050	6.2
including	147.8	166.1	18.3	0.105	0.191	16.0
including	181.4	190.5	9.1	0.131	0.012	2.4
00055	4.9	158.8	153.9	0.098	0.066	11.3
including	4.9	17.1	12.2	0.137	0.088	16.7
including	73.2	134.1	61.0	0.137	0.041	9.8
00056	6.1	212.1	206.0	0.102	0.042	9.0
including	6.1	132.0	125.9	0.121	0.026	5.9
00057	7.3	35.1	27.7	0.049	0.018	3.8
00058	9.8	170.1	160.3	0.086	0.037	8.7
including	106.7	170.1	63.4	0.115	0.038	9.1
00380	4.9	53.6	48.8	0.143	0.017	4.7
00380	64.7	128.6	64.0	0.174	0.033	2.7
00761	6.7	162.2	155.4	0.165	-1.000	-1.0

00771	6.1	153.6	147.5	0.153	0.013	3.4
00772	4.3	166.1	161.9	0.186	0.084	5.3
00781	6.4	150.0	143.6	0.180	0.010	2.3
00782	4.9	225.6	220.7	0.208	0.015	3.2
00791	9.1	149.7	140.5	0.173	0.003	0.9
00792	4.3	210.3	206.0	0.161	-1.000	-1.0
including	15.2	210.3	195.1	0.167	-1.000	-1.0
67001	6.4	58.8	52.4	0.154	-1.000	-1.0
67002	0.6	61.3	60.7	0.151	-1.000	-1.0
including	31.1	61.3	30.2	0.209	-1.000	-1.0
67003	5.5	69.5	64.0	0.079	-1.000	-1.0
67004	3.1	61.9	58.8	0.154	-1.000	-1.0
67005	5.2	63.4	58.2	0.153	-1.000	-1.0
67006	5.2	61.9	56.7	0.171	-1.000	-1.0
67007	3.7	58.5	54.9	0.092	-1.000	-1.0
67008	3.1	61.0	57.9	0.139	-1.000	-1.0
67009	2.1	92.1	89.9	0.164	-1.000	-1.0
67010	1.2	83.5	82.3	0.151	-1.000	-1.0
67011	11.0	91.4	80.5	0.186	-1.000	-1.0
67012	1.2	92.1	90.8	0.123	-1.000	-1.0
67014	1.5	92.1	90.5	0.104	-1.000	-1.0
67016	7.3	32.9	25.6	0.110	-1.000	-1.0
67023	1.2	64.6	63.4	0.079	-1.000	-1.0
67024	2.4	60.4	59.1	0.103	-1.000	-1.0
including	45.1	60.4	15.2	0.156	-1.000	-1.0

67025	2.1	57.3	55.2	0.081	-1.000	-1.0
67026	1.5	74.4	72.9	0.120	-1.000	-1.0
67027	1.5	47.9	46.3	0.115	-1.000	-1.0
67028	7.6	41.2	33.5	0.067	-1.000	-1.0
67029	5.2	48.5	43.3	0.089	-1.000	-1.0
including	5.2	20.4	15.2	0.142	-1.000	-1.0
67030	2.1	39.3	37.2	0.052	-1.000	-1.0
68001	6.7	762.3	755.6	0.115	-1.000	-1.0
including	14.6	77.7	63.1	0.157	-1.000	-1.0
including	99.1	129.8	30.8	0.103	-1.000	-1.0
including	138.7	164.3	25.6	0.123	-1.000	-1.0
including	173.7	314.3	140.5	0.136	-1.000	-1.0
including	332.5	356.0	23.5	0.118	-1.000	-1.0
including	393.2	438.6	45.4	0.149	-1.000	-1.0
including	443.5	479.5	36.0	0.119	-1.000	-1.0
including	524.9	546.8	21.9	0.155	-1.000	-1.0
including	574.6	648.0	73.5	0.127	-1.000	-1.0
including	669.3	729.4	60.1	0.111	-1.000	-1.0
69001	241.4	259.7	18.3	0.046	-1.000	-1.0
69001	310.3	341.4	31.1	0.050	-1.000	-1.0
69002	125.0	222.2	97.2	0.099	-1.000	-1.0
including	168.3	208.2	39.9	0.145	-1.000	-1.0
69003	4.6	501.1	496.5	0.124	-1.000	-1.0
including	10.7	160.3	149.7	0.162	-1.000	-1.0
including	195.7	346.0	150.3	0.140	-1.000	-1.0
including	357.5	407.5	50.0	0.128	-1.000	-1.0
69003	559.0	591.0	32.0	0.057	-1.000	-1.0
69003	645.6	704.4	58.8	0.051	-1.000	-1.0
69003	719.6	741.0	21.3	0.046	-1.000	-1.0
69004	163.1	216.4	53.3	0.115	-1.000	-1.0
including	178.3	213.4	35.1	0.137	-1.000	-1.0
69005	15.9	32.3	16.5	0.055	-1.000	-1.0
69005	50.9	65.5	14.6	0.048	-1.000	-1.0
69005	89.9	172.8	82.9	0.066	-1.000	-1.0
69005	183.5	257.0	73.5	0.097	-1.000	-1.0
including	214.6	247.8	33.2	0.143	-1.000	-1.0
69005	266.1	311.8	45.7	0.090	-1.000	-1.0

including	269.1	299.6	30.5	0.104	-1.000	-1.0
69006	3.4	94.5	91.1	0.066	-1.000	-1.0
69007	0.0	53.3	53.3	0.059	-1.000	-1.0
69008	20.1	188.1	167.9	0.075	-1.000	-1.0
including	20.1	39.6	19.5	0.123	-1.000	-1.0
including	62.5	91.4	29.0	0.124	-1.000	-1.0
69009	0.5	76.2	75.7	0.069	-1.000	-1.0
69009	91.4	106.7	15.2	0.038	-1.000	-1.0
69010	12.5	138.7	126.2	0.091	-1.000	-1.0
including	12.5	89.9	77.4	0.103	-1.000	-1.0
69010	166.1	204.5	38.4	0.049	-1.000	-1.0
74001	1.2	131.1	129.8	0.085	0.010	-1.0
including	15.2	39.6	24.4	0.130	0.007	-1.0
including	57.9	85.3	27.4	0.130	0.008	-1.0
74002	0.0	243.8	243.8	0.059	0.012	-1.0
74003	6.1	30.5	24.4	0.050	0.006	-1.0
74004	0.0	103.6	103.6	0.138	0.007	-1.0
including	0.0	76.2	76.2	0.168	0.008	-1.0
74005	6.1	131.1	125.0	0.154	0.007	-1.0
including	6.1	27.4	21.3	0.173	0.004	-1.0
including	39.6	112.8	73.2	0.178	0.009	-1.0
74006	0.0	249.9	249.9	0.110	0.014	3.0
including	0.0	64.0	64.0	0.156	0.005	0.9
including	88.4	121.9	33.5	0.116	0.002	0.3
including	134.1	146.3	12.2	0.134	0.004	0.8
74007	0.0	91.4	91.4	0.127	0.037	-1.0
including	0.0	67.1	67.1	0.155	0.048	-1.0
74008	0.0	192.0	192.0	0.125	0.047	-1.0
including	3.1	45.7	42.7	0.203	0.035	-1.0
including	57.9	73.2	15.2	0.158	0.131	-1.0
including	91.4	128.0	36.6	0.156	0.025	-1.0
74009	3.1	54.9	51.8	0.083	0.007	-1.0
including	3.1	33.5	30.5	0.102	0.005	-1.0
74009	82.3	115.8	33.5	0.064	0.007	-1.0

74010	0.0	109.7	109.7	0.081	0.006	-1.0
including	0.0	42.7	42.7	0.137	0.005	-1.0
74011	3.7	143.3	139.6	0.132	0.033	-1.0
74012	3.1	292.6	289.6	0.098	0.017	-1.0
including	6.1	91.4	85.3	0.130	0.017	-1.0
including	103.6	185.9	82.3	0.123	0.010	-1.0
74013	2.4	125.0	122.5	0.093	0.021	-1.0
including	6.1	79.3	73.2	0.109	0.019	-1.0
74014	0.0	210.3	210.3	0.085	0.011	-1.0
including	18.3	42.7	24.4	0.150	0.012	-1.0
including	94.5	112.8	18.3	0.133	0.004	-1.0
74015	2.1	118.9	116.7	0.133	0.036	-1.0
including	2.1	88.4	86.3	0.159	0.021	-1.0
74016	0.0	256.0	256.0	0.153	0.024	2.4
including	0.0	192.0	192.0	0.171	0.021	2.4
74017	0.0	115.8	115.8	0.111	0.014	-1.0
including	3.1	51.8	48.8	0.168	0.018	-1.0
76001						
76002						
77001						
78001	274.3	496.8	222.5	0.097	0.006	0.9
including	286.5	347.5	61.0	0.100	0.007	0.9
including	359.7	405.4	45.7	0.134	0.005	1.3
78001	518.2	554.7	36.6	0.061	0.009	1.5
78002	3.1	329.2	326.1	0.098	0.007	1.4
including	3.1	97.5	94.5	0.128	0.005	2.0
including	152.4	167.6	15.2	0.117	0.002	0.0
including	192.0	207.3	15.2	0.125	0.007	0.6
78002	344.4	399.3	54.9	0.078	0.010	1.5
78002	411.5	509.0	97.5	0.070	0.014	2.1
81001	3.0	219.0	216.0	0.086	0.059	-1.0
including	3.0	78.0	75.0	0.156	0.028	-1.0
81002	3.0	69.0	66.0	0.072	0.020	-1.0

81002	108.0	144.0	36.0	0.046	0.004	-1.0
81003	3.0	120.0	117.0	0.078	0.007	-1.0
including	3.0	21.0	18.0	0.155	0.007	-1.0
including	33.0	45.0	12.0	0.103	0.007	-1.0
81003	138.0	288.0	150.0	0.050	0.008	-1.0
81004	3.0	233.8	230.8	0.088	0.024	-1.0
including	72.0	96.0	24.0	0.158	0.006	-1.0
including	168.0	228.0	60.0	0.122	0.032	-1.0
81005	7.0	61.0	54.0	0.053	0.012	-1.0
81005	85.0	97.0	12.0	0.045	0.001	-1.0
81006	24.0	69.0	45.0	0.052	0.018	-1.0
82001	6.1	45.7	39.6	0.115	0.003	1.1
including	9.0	36.5	27.5	0.139	0.003	1.1
82001	52.3	168.9	116.6	0.066	0.003	0.8
82002	20.2	158.4	138.2	0.090	0.035	10.6
including	56.2	72.1	15.9	0.108	0.009	2.5
including	83.5	133.4	49.9	0.111	0.011	3.2
82003	10.4	43.4	33.0	0.072	0.020	3.2
82004	49.1	196.9	147.8	0.072	0.050	12.7
82005	15.0	160.3	145.3	0.091	0.033	8.0
including	38.0	95.6	57.6	0.108	0.024	5.7
including	124.6	144.3	19.7	0.144	0.044	6.4
82006	10.1	28.9	18.8	0.079	0.018	3.6
82007	7.6	186.2	178.6	0.109	0.015	3.4
including	10.6	133.6	123.0	0.125	0.014	3.2
82008	82.0	132.9	50.9	0.043	0.009	1.9
82009	4.3	90.3	86.0	0.064	0.032	6.9
82009	99.3	133.3	34.0	0.038	0.004	1.5
82010	12.8	156.2	143.4	0.093	0.050	-1.0
including	12.8	80.6	67.8	0.122	0.034	-1.0
82010	161.1	176.1	15.0	0.046	0.066	-1.0
82011	3.7	87.6	83.9	0.073	0.017	-1.0

82012	3.7	92.2	94.5	0.065	0.010	2.0
including	15.7	30.7	15.0	0.154	0.006	1.4
82012	108.0	120.0	12.0	0.051	0.005	1.4
82012	132.0	171.0	39.0	0.044	0.022	5.4
82012	183.0	196.6	13.6	0.048	0.015	2.2